IEEE Xplore®
RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPOF

Results for "(un*channel*<and>(pos or packet* <near/3> sonet))"   ☑ e-mail 🖨 printel
Your search matched **3** of **1260866** documents.
A maximum of **250** results are displayed, **25** to a page, sorted by **Publication year** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(un*channel*<and>(pos or packet* <near/3> sonet))   [»]

☐ Check to search only within this results set

» Key

Display Format: ● Citation   ○ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select   Article Information

☐   1. **A new approach for automatic grooming of SONET circuits to optical express link:**
Widjaja, I.; Saniee, I.; Qian, L.; Elwalid, A.; Ellson, J.; Cheng, L.;
Communications, 2003. ICC '03. IEEE International Conference on
Volume 2, 11-15 May 2003 Page(s):1407 - 1411 vol.2

AbstractPlus | Full Text: PDF(270 KB)   IEEE CNF

☐   2. **IEEE standard for information technology - telecommunications and information exchange between systems - local and metropolitan area networks specific requir(part 15.4: wireless medium access control (MAC) and physical layer (PHY) specific for low-rate wireless personal area networks (LR-WPANs)**
IEEE Std 802.15.4-2003
2003 Page(s):0_1 - 670

AbstractPlus | Full Text: PDF(4938 KB)   IEEE STD

☐   3. **IEEE standards for local and metropolitan area networks: distributed queue dual b (DQDB) subnetwork of a metropolitan area network (MAN)**
IEEE Std 802.6-1990
3 July 1991

AbstractPlus | Full Text: PDF(14140 KB)   IEEE STD

Help   Contact Us   Privacy & Security

© Copyright 2005 IEEE – All Rights

Indexed by
🛢 Inspec®

EAST 09/787,830

af 11/21/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4738	network$3 NEAR2 schematic$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:18
L2	✓ 17	network$3 NEAR2 schematic$1 SAME (OC$3 OR STS$3 OR STM$3 OR OC$3c OR STS$3c OR STM$3c)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:25
L3	✓ 42	network$3 NEAR2 schematic$1 SAME window$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:25
L4	1222	(view$2 OR display$3 OR visual$6) WITH network$3 WITH topolog$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:27
L7	✓ 98	(view$2 OR display$3 OR visual$6) WITH network$3 WITH topolog$3 AND (OC$3 OR STS$3 OR STM$3 OR OC$3c OR STS$3c OR STM$3c) AND (OC1$3 OR OC-$3 OR STS$3 OR STM$3 OR OC$3c OR STS$3c OR STM$3c)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:49
L12	✓ 99	(view$2 OR display$3 OR visual$6) WITH schematic$1 AND (OC1$3 OR OC-$3 OR STS$3 OR STM$3 OR OC$3c OR STS$3c OR STM$3c) WITH schematic$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:51
L13	✓ 48	(view$2 OR display$3 OR visual$6) WITH schematic$1 AND (OC1$3 OR OC-$3 OR STS$3 OR STM$3 OR OC$3c OR STS$3c OR STM$3c) WITH schematic$1 AND network$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:56
L14	✓ 49	(view$2 OR display$3 OR visual$6) WITH window$1 AND (OC1$3 OR OC-$3 OR STS$3 OR STM$3 OR OC$3c OR STS$3c OR STM$3c) WITH window$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 18:56
S1	23321	nicholas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:00
S2	1039	zhan.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01

S3	✓ 3	falkenham.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:02
S4	5199	katz.in	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01
S5	68368	li.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01
S6	20830	dale.in	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:01
S7	✓ 5	(S1 OR S2 OR S4 OR S5 OR S6) AND (channel$4 WITH un$1channel$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:04
S10	2	(("5226120") or ("5440540")).PN.	USPAT	OR	OFF	2005/11/09 14:07
S11	28775	packet ADJ2 SONET$1 OR packet$1over$1SONET OR POS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:36
S12	7634	709/223-224.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:08
S13	✓ 105	S12 AND S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:47
S14	✓ 125	S11 WITH provision$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:56
S15	✓ 2	"5872928".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:56

S16	38757	synchronous$3 ADJ1 optical$1 OR SONET OR POS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:57
S18	✓162	channel$5 SAME un$1channel$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 16:42
S19	. ✓27	S16 AND S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 14:58
S20	✓ 10	un$1channel$5 WITH (virtual$3 OR logical$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:58
S21	✓ 19	un$1channel$5 WITH port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:16
S22	2924	card$1 WITH slot$1 WITH port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:58
S23	8236	ADM OR (add$1drop$1 OR add ADJ2 drop) ADJ2 (mux$3 OR multiplex$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:17
S24	✓ 27	S23 AND S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:28
S28	✓ 190	S16 AND S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:31
S31	✓ 180	(data$1link$3 OR data ADJ1 link$3) NEAR2 record$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:39
S32	31316	display$3 WITH port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48

S35	64348	port$1 WITH (config$7 OR provision$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:40
S36	3965	S32 AND S35	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:40
S37	✓ 323	S32 AND S35 AND "370"/$6. ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:32
S38	31	S32 AND S35 AND ("398"/$6. ccls. OR "359"/$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:33
S40	28866	packet ADJ2 SONET$1 OR packet$1over$1SONET$1 OR POS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:36
S41	681	S40 AND S32	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:36
S43	✓ 52	S40 AND S32 AND ("370"/$6. ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6. ccls. OR "385"/$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:38
S44	150691	display$3 WITH interface$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48
S45	2883	S40 AND S44	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:48
S46	✓ 209	S40 AND S44 AND ("370"/$6. ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6. ccls. OR "385"/$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:51
S48	✓ 254	un$1channel$6 OR un ADJ1 channel$6	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:59

S49	√ 8	S40 AND S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:03
S50	2275	S40 WITH (port$1 OR interfac$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:03
S51	√ 384	S40 WITH (port$1 OR interfac$3) SAME (config$7 OR provision$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:13
S56	√ 5	(("6115393") or ("6374293") or ("20020059407") or ("20030009547") or ("5471399")).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/16 13:41
S57	1	("5872928").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/16 13:43
S58	418	S40 WITH channel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:44
S59	√ 107	S40 WITH channel$1 AND ("370"/$6.ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6.ccls. OR "385"/$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:27
S60	5935	concatenat$4 WITH (OC$3 OR STS$3 OR STM$3) OR OC$3c OR STS$3c OR STM$3c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:29
S61	2590	S60 AND (config$7 OR provision$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:29
S62	384	S60 SAME (config$7 OR provision$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:31
S63	√ 43	S60 SAME (config$7 OR provision$3) AND S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47
S64	1741	(display$3 OR visual$6) AND S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47

S65	183	(display$3 OR visual$6) SAME S60	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47
S66	10	(US-20020001307-$ or US-20030101248-$ or US-20030137532-$ or US-20020165961-$ or US-20020181493-$).did. or (US-6930890-$ or US-6934749-$ or US-6880086-$).did. or (EP-1313241-$).did. or (EP-1313241-$).did.	US-PGPUB ; USPAT; EPO; DERWENT	OR	OFF	2005/11/16 15:16
S67	3	S66 AND S40	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 15:16